

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Viginia 22313-1450 www.uspto.gov

APPLICATION NO.	F	ILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
09/682,008		07/09/2001	David S. Leslie	11-SW-4904	1042	
23465	7590	06/20/2003				
JOHN S. B	EULICK	,	EXAMINER			
	OPOLITA	EASDALE, LLP AN SQUARE	ASSOUAD, PATRICK J			
ST LOUIS, MO 63102-2740				ART UNIT	PAPER NUMBER	
·				2857		
				DATE MAN ED OCIDOROS		

DATE MAILED: 06/20/2003

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(s)				
	•	09/682,008	LESLIE, DAVID S.				
•	Offic Action Summary	Examiner	Art Unit				
		Patrick J Assouad	2857				
	The MAILING DATE of this communication app						
Period for Reply							
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). - Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b). Status							
1)	Responsive to communication(s) filed on	<u> </u>					
2a) <u></u> ☐	This action is FINAL . 2b)⊠ Thi	is action is non-final.					
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.							
Disposition of Claims							
•	Claim(s) <u>1-25</u> is/are pending in the application						
	4a) Of the above claim(s) is/are withdraw	wn from consideration.					
·	Claim(s) is/are allowed.						
•	Claim(s) <u>1-25</u> is/are rejected.						
•	Claim(s) is/are objected to.						
8) Claim(s) are subject to restriction and/or election requirement. Application Papers							
9)☐ The specification is objected to by the Examiner.							
10) \boxtimes The drawing(s) filed on <u>09 July 2001</u> is/are: a) \square accepted or b) \boxtimes objected to by the Examiner.							
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).							
11) ☐ The proposed drawing correction filed on is: a) ☐ approved b) ☐ disapproved by the Examiner.							
If approved, corrected drawings are required in reply to this Office action.							
12) The oath or declaration is objected to by the Examiner.							
Priority under 35 U.S.C. §§ 119 and 120							
13) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).							
a) ☐ All b) ☐ Some * c) ☐ None of:							
	1. Certified copies of the priority documents have been received.						
	2. Certified copies of the priority documents have been received in Application No						
 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 							
14) Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).							
a) ☐ The translation of the foreign language provisional application has been received. 15)☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.							
Attachment(s)							
2) Notic	te of References Cited (PTO-892) te of Draftsperson's Patent Drawing Review (PTO-948) mation Disclosure Statement(s) (PTO-1449) Paper No(s) 2:	5) Notice of Informal	y (PTO-413) Paper No(s) Patent Application (PTO-152)				

Page 2

Application/Control Number: 09/682,008

Art Unit: 2857

DETAILED ACTION

Information Disclosure Statement

1. The information disclosure statement filed 3/26/02 fails to comply with the provisions of 37 CFR 1.97, 1.98 and MPEP § 609 because not all of the cited references include a date of publication. It has been placed in the application file, and not all of the information referred to therein has been considered as to the merits. Applicant is advised that the date of any re-submission of any item of information contained in this information disclosure statement or the submission of any missing element(s) will be the date of submission for purposes of determining compliance with the requirements based on the time of filing the statement, including all certification requirements for statements under 37 CFR 1.97(e). See MPEP § 609 ¶ C(1).

Drawings

2. The drawings are objected to because the text is too small to be easily read. A proposed drawing correction or corrected drawings are required in reply to the Office action to avoid abandonment of the application. The objection to the drawings will not be held in abeyance.

Claim Rejections - 35 USC § 102

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

Application/Control Number: 09/682,008 Page 3

Art Unit: 2857

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

4. Claims 1-10, 14-18, and 21-25 are rejected under 35 U.S.C. 102(b) as being anticipated by Yalla et al. ('011) patented 6/29/93.

Note Figs. 1, 5 and 15 of Yalla et al.('011) are reproduced below.

5. Yalla et al.('011) disclose a multifunction protective relay system. From the Abstract:

A protective relay system for generation apparatus connectable to a three-phase alternating current electrical utility system. The relay system includes a dual processing architecture wherein a digital signal processor executes all the signal-processing algorithms, and a separate microprocessor is used for input/output data processing. A dual-ported RAM is used to effect a fast communication link between the digital signal processor and the microprocessor to accomplish high-speed protective relaying functions to selectively trip and close a circuit breaker at a generator or cogenerator site, or that which connects it to an electric utility system.

- 6. The correspondence between the instant claimed invention and that of **Yalla et al.('011)** is as follows:
- a) "measuring at least one of a voltage, a current and a phase angle" is seen in at least Fig. 5 with the numerous voltage and current input signals 29;
- b) "displaying at least one of a relay contact status and the power values on a display" is seen in at least Fig. 1, see contact breaker status and various over- or under-voltage and current conditions, and also see the LCD element 41 of Fig. 5;
- c) a "plurality of electrical relays" is the plurality of relays connected to the input and output boards in Fig. 5;
 - d) a "display" is LCD 41 of Fig. 5;

Application/Control Number: 09/682,008 Page 4


Art Unit: 2857

e) a "microprocessor" and "memory" are the combination processor 43 & DSP36 and RAM 38 of Fig. 5; and finally,


f) a "plurality of printed circuit boards..." is the plurality of boards seen in at least Fig. 5.

. Application/Control Number: 09/682,008

Art Unit: 2857



Art Unit: 2857



Application/Control Number: 09/682,008

Art Unit: 2857

VOLTAGE RELAY VOLT fracient power --

- Phase Overvoltage
- · Phase Undervollage
- Neutral Overvoltage
- · Neutral Undervoltage

FRECUENCY RELAY

- Overfrequency Satpoints
- Underfrequency Setpoints

CURRENT RECAY Volt free CURR powr -

- Phase Overcurrent Setpoints
- Neutral Overcurrent Setpoints
- Negative Sequence Overcurrent Setpoints

VOIL FEE CALL POWER

- · Forward Power Setpoints
- · Reverse Power Setociats

RECON ...

- Reconnect Setpoints
- Delay Reconnect

FVIEWSPIEWDYS

•

MONTOR STATUS - Stoke STAT config --

- Voltage Status
- Frequency Status
- . Current Status
- · Power Status
- Voltage Timer
- · Frequency Timer
- Current Timer
- Power Timer
- Reconnect Timer
- Temperature

CONFIGURE RELAYS

- · Voltage Relay
- · Frequency Relay
- · Current Relay
- · Power Relay
- Trip Circuit Type

STEWN FOR THIS CONTINUED IN

- · Trip 0
- · Trip 1
- Trip 2
- Trip 3
 Trip 4
- Clear History Targets

READ COUNTER.

- Trip Counter
- Close Counter
- Alarm Counter
- Power Loss Counter
- Clear Trip Counter
- Clear Close Counter
- · Clear Alarm Counter
- Clear Power Loss Counter

COMMUNICATION --- count Community extra

- Configure COM1
- Configura COM2
- Communication Address
- · Issue COM2 Log On
- · Enter COM2 Log On

SETUP UNIT --- count comme SETUP axit

- Software Version
- · Alter Passwords
- Date & Time
- Configure Display
- Input User Logo
- Dip Switch

EDUN (COMM SALES EXTE

7. With respect to dependent claims 2, 16, 17, and 21, see at least the relay I/O boards of Fig. 5 and Fig. 15 of Yalla et al. which show numerous example relays and their related settings and related measurements.

With respect to dependent claim 3, the MPRS 7 of Yalla et al. samples continuously at 960 Hz. See at least cols. 7-8.

With respect to dependent claim 4, see at least the diagnostic mode of Table 1 and Fig. 3 of Yalla et al.

With respect to dependent claims 5-6, see at least the various RMS values shown in Fig. 17.

With respect to dependent claims 7-8, and 18, see at least the Trip History of Fig. 15 or an example Trip time of occurence of Fig.16 of Yalla et al.

With respect to dependent claims 14-15 and 24, see at least the power supply and board 18,62 of Fig. 5 of Yalla et al.

With respect to dependent claims 22-23, see at least the connection for current-based fault detection of Fig. 8 of Yalla et al.

With respect to dependent claim 25, see at least the password of Fig. 15 of Yalla et al.

Claim Rejections - 35 USC § 103

- 8. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the

invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

- 9. Claims 11-13 and 19-20 are rejected under 35 U.S.C. 103(a) as being unpatentable over **Yalla et al.** ('011) as applied to claim 10 above, and further in view of **Yalla** ("A Digital Multifunction Protective Relay", IEEE, 1992) and **Yalla et al.** ("Application of Multifunction Generator Protection Systems", IEEE, 1998).
- 10. The differences between the instant claimed invention (dependent claims 11-13 and 19-20) and that of **Yalla et al. ('011)** lie in the "watchdog relay" function and the RS-485 capability.
- 11. Note that Yalla et al.('011) does disclose RS232-C I/O in at least Fig. 5.
- Yalla discloses a watchdog timer reset in his digital multifunction protective relay. See at least pg. 198, item 1, under "self-checking functions". Yalla et al. disclose that "their MGPS may have bi-directional communication ports which can be RS-232, RS-485..." on pg. 1285.
- 13. Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the RS-485 and watchdog teachings of **Yalla** and **Yalla et al.**, respectively, into the multifunction protective relay of **Yalla et al.** ('011) because all three documents have common inventor or writer Yalla, and this common inventor clearly saw the benefits of such a combination, namely, communicating with

Application/Control Number: 09/682,008

Art Unit: 2857

the external world, and for performing self-checking, which is "one of the major

advantages of using the digital relay technology" (pg. 198 of Yalla).

Conclusion

14. The prior art made of record and not relied upon is considered pertinent to

applicant's disclosure. The prior art is replete with digital multifunction protective relays.

See the attached PTO-892.

15. Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Patrick J Assouad whose telephone number is 703-305-

3811. The examiner can normally be reached on Tuesday-Friday, 6:30am-5:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor. Marc Hoff can be reached on 703-308-1677. The fax phone numbers for

the organization where this application or proceeding is assigned are 703-308-7722 for

regular communications and 703-308-7724 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or

proceeding should be directed to the receptionist whose telephone number is 703-308-

0956.

Patrick J Assouad

Primary Examiner

Art Unit 2857

pja

June 11, 2003

Page 10